

Facts about Annexet

Opened in 1989, it has an audience capacity of around 3,000, depending on the event and seating arrangement. Annexet is our most intimate arena, perfect for banquets, concerts, dinner shows, galas, AGMs and conferences. Annexet is also ideal for exhibitions and trade fairs, and is often used to supplement activities in the Globe.

CAPACITY

- Banquet, 1,600 pax seated.
- Concert/conference, 2,000 pax seated.
- Concert, 3,300 pax standing.

ARENA FLOOR

- 64 x 36 m. Concrete floor.
- Max floor load 500 kg per m².

FITTINGS

- Smart black carpet.
- Blue curtains covering all walls.
- Three blue curtains on sliding tracks to partition off the venue, but restrictions apply due to fixed cells/stays, see more info under "suspension capacity" below.

CLEAR HEIGHT IN ANNEXET

- To the lower edge of the roof beams 10 m.
- We have two pillars under the balcony, but no pillars in the centre of the arena. 14 m between the pillars, 10.5 m along the north side to the pillar, 11.5 m along the south side to the pillar.

LOADING

- There is a loading door on Globentorget, height 2.70 m, width 4.35 m.
- Emergency exits x13 along the long sides, width 2 m, height 2.10 m.
- Freight lift up and down to the Valhall loading bay, width 2.50 m, height 2.70 m.
- Entrance to the Globe foyer, width 2.60 m, height 2.90 m.

BALCONY

- Height over 4.70 m to the rigging/roof beams. Note, in the corner

only 2.85 m.

- Length approx 40 m, with a few angles.
- Width/depth above/below 10 m.
- Railing height 1.10 m.
- Height less than 3.35 m to roof beams (3.55 m to ceiling), note sprinkler system.
- Loading via emergency exit, width 2.30 m, height 2.0 m.
- No access with forklift or heavy vehicles, only pallet trucks, trolleys, sack trucks, etc.

MEZZANINE LEVELS (OUT FROM BALCONY)

- Height from mezzanine floor 4.70 m to the rigging/roof beams.
- Height below to floor 3.50 m, note sprinkler system/lighting (3.75 m to front edge).
- Truck clearance floor – mezzanine floor 4.50 m.
- Height from floor to top railing 5.55 m.
- Length 40 m.
- Width/depth above/below 5 m.
- Railing height 1.10 m.
- Width of steps 1.80 m.

SUSPENSION CAPACITY

- Max 1 tonne point load or spread load at every other fixing point on the roof beams, above or below the beam. Max 10 tonnes per roof beam. The distance between roof beams is 10 m. The roof beams from which the curtain trusses hang are limited to 1 tonne point load, including the moveable trolleys, which may also only be loaded with max 1 tonne. On these beams, only vertical loads are permitted. Max 1 tonne point load on every other fixing point on the roof beams.
- Max 10 tonnes per roof beam. Distance between roof beams 10 m.

PLANT

- One forklift truck 1.6 tonnes.
- Three forklift trucks 1.8 tonnes.
- One forklift truck 3.0 tonnes.
- One hydraulic platform (Niftylift) 9.5 m working height.



- Two scissor lifts, one 11.5 m working height and one 6 m working height.
- Two max lifts 10 m working height.

Operators of the above machinery must have a training certificate issued by the Globe Arenas. Contact Hans Svensson/the Globe Arenas for more information.

EVENT CONSTRUCTION

- All constructions, fittings and other material can be arranged/hired through the arena. Fittings list and prices available on request.

SOUND

- Speaker system for sports events.
- Other equipment can be hired by the arena as required.

Cont. Annexet

LIGHTING

- Ordinary lighting can be controlled section by section.
- Arena lighting comprises 144 Par 64 1000 W lamps and 42 Minuette Fresnel 500 W lamps plus 1 Compulite Spark 4D light controller.
- Other equipment can be hired as required.

AV TECHNOLOGY

- Equipment can be hired by the arena as required.

TV PRODUCTION

- It is possible to use the Globe's fixed ITV technology.

IT

- Telia Homerun (wireless broadband) is available in the arena, and the changing rooms & dressing rooms have fixed internet lines. Fixed internet lines can be run into the arena on request.

ELECTRICITY

All electricity must be ordered in advance. Cabling is not included, but can be hired from the arena as required.

- 1x 600A 400/230 V 3-phase supply, Canalis system.
- 1x 200A 400/230 V 3-phase supply, Canalis system.

PRODUCTION AREAS

- Three artists' dressing rooms with shower and toilet.
- Two rooms with shower and toilet. Used by caterers during banquets.
- On the balcony, 2 changing rooms and 2 toilets.

CLEANING

- Cleaning is taken care of by contractors.

SAFETY

- All pyrotechnics must be approved by the police and fire service.
- All constructions must be approved by the arena's head of safety.
- All material for the stage, decor, displays etc must be fireproofed.

SECURITY / STAFFING

- External security is dealt with by a contracted security company.
- Internal security is handled by the arena's event and fire stewards.
- Other security can be arranged through the arena.

HEALTHCARE

- Nurses and doctors can be arranged via the arena.

CLOAKROOM

- The cloakroom service at public events is handled by the arena's contractors.
- A cloakroom service for private events can be arranged via the arena.

TICKET SALES

Tickets for public events are sold via

- The Globe Arena's telephone booking service +46 (0)77-131 00 00
- www.globearenas.se.
- The Globe Arena's box office.
- ATG and Ticnet outlets.

Tickets can also be produced for private events.

MASS MEDIA SERVICE

- Annexet has no specific areas for the mass media.

PARKING

- 2,100 parking spaces nearby.
- Free parking for 2 hours in the Globen City car park.

PUBLIC ENTRANCES

- Entrance via the Globe's entrance 4, cannot be used if there is an event at the Globe Arena.
- Entrance via the Annexet entrance and Entrance 3, usually for private events.

TOILETS

- Two toilets for disabled.
- Five men's toilets.
- Seven women's toilets.
- Two toilets up on the balcony.

CATERING

- All serving of food, drink, confectionery etc is handled by contractors.

HOTEL

- The Quality Hotel Globe, with 327 guest rooms and 17 conference rooms, is part of the Globen City complex.

SHOPPING

- Globen Shopping, with its 60 stores, is part of the Globen City complex.

HIRING ANNEXET

- Annexet can be booked via the Globe Arenas' events department +46 (0)8-508 353 00.

AB Stockholm Globe Arena • Box 100 55 • 121 27 Stockholm-Globen
Tel +46 (0)8-508,353 00 • Fax +46 (0)8-508 353 70
www.globearenas.se

Facts about the Globe Arena

Opened in 1989, the arena has an audience capacity of max 16,000 people. The biggest, best and most beautiful? Opinions may be divided, but the world's largest spherical building offers world class experiences. It has been the venue for a private dinner for two and concerts for 16,000 people. Major sports figures, international stars, choirs, horses and leaders from around the world have appeared here. Everyone is welcome and ensured a friendly reception.

CAPACITY

- Ice hockey 13,850 pax.
- Concert max 16,000 pax, depending on stage position.
- Stage in centre 6,000 – 16,000 pax.
- Stage on short side 13,000 pax.
- Banquet and party configuration 3,500 pax.
- Banquet and conference 2,200 pax.

ARENA FLOOR

- The arena's floorspace can be varied using moveable stands. The concrete floor is permanently marked with the outline of an ice hockey rink. The floor is layered with ice from September to April.
- Normal ice hockey rink 30 x 60 m.
- Party configuration 45 x 90 m.
- Maximum area 55 x 90 m.

FITTINGS

- The floor is covered with different flooring for different events.

CLEAR HEIGHT IN THE GLOBE ARENA

- To lower gantry 35 m.
- To lower edge of scoreboard in its highest position 20 m.

LOADING

The Globe's loading bay, Valhall, is immediately behind the arena, with space for four 18 m semitrailers at once. There are two entrances to the loading bay: Norra lastgatan, from Globen Gate, Arenavägen 35 (height 4.20 m, width 4.40 m) and Södra lastgatan, next to the Globe's Entrance 7 (height 4.00 m). NOTE: Södra vintergatan into Valhall only has a clearance of 3.10 m.

ACCESS DOORS FROM VALHALL TO THE ARENA

	Height	Width
Loading door, normal configuration	2.7 m	3.25 m
Loading door, stand removed	4.5 m	3.9 m
Southern entrance (stand must be removed)	4.0 m	4.5 m
Dimensions of emergency exits South-east	2.20 m	2.03 m
Dimensions of emergency exits North-east	2.05 m	2.02 m
Dimensions of emergency exits North-west	2.20 m	1.99 m
Dimensions of emergency exits South-west	2.04 m	2.04 m

SUSPENSION CAPACITY

- Max load from lower gantry approx 40 tonnes depending on where load is hung. Of these loads, max 25 tonnes can be hung from the existing ceiling (super beam grid 23.3 x 19.5 m), which is moveable along a north-south axis.
- Max load from upper gantry approx 60 tonnes depending on where load is hung. This gantry is in the northern section of the arena. The upper gantry has 90 mm tubing running north-south, which can carry max 2.5 tonnes between each universal beam.

PLANT

- One forklift truck 1.6 tonnes.
 - Three forklift trucks 1.8 tonnes.
 - One forklift truck 3.0 tonnes.
 - One hydraulic platform (Niftylift) 9.5 m working height.
 - Two scissor lifts, one 11.5 m working height and one 6 m working height.
 - Two max lifts 10 m working height.
- Operators of the above machinery must have a training certificate issued by the Globe Arenas. Contact Hans Svensson/the Globe Arenas for more information.

PRODUCTION AREAS

- Eight changing rooms with shower and toilet.
- Ten artists' dressing rooms with shower and toilet.
- One production office.



EVENT CONSTRUCTION

- All constructions, fittings and other material can be hired through the Globe Arenas. Fittings list and prices available on request.

SOUND

- Centre-fixed speaker cluster of 40,000 W (JBL speakers with QSC amplifiers).
- Delay, speaker system for stand C (Martin speakers with QSC amplifiers).
- Control room with 32 input audio mixer (Allen&Heath), DAT and CD players.
- Small speakers (JBL) with channel selector and volume control in the dressing rooms and some other areas.
- Other equipment can be hired as required.

Cont. The Globe Arena

LIGHTING

- The arena's general lighting comprises 600 PAR 64 lamps controlled from a central light controller.
- Other equipment can be hired as required.

LSVD (LARGE SCREEN VIDEO DISPLAY)

- Sony LED JUMBOTRON (LDU-15) four screens of 3.1 x 4.1 m.
- Omega SMD LED monochrome (Umbra) four screens of 5 x 1 m.

TV PRODUCTION

TV production at broadcast level:

- Sony BVP cameras.
- Sony Betacam SP video recorders.
- Sony IMX video recorders.
- Grass Valley 200 production switcher.
- Inscribe text generator.
- Amek 501 audio mixer.
- EVS Live slomo editing.
- Pinnacle Thunder video server.
- ITV network with 170 TVs in the dressing rooms and public foyers.
- Sony 42" plasma screens in the public foyers.
- Space for OB trucks under cover in Södra lastgatan.

ELECTRICITY

- 2x 600A 400/230 V 3-phase supply, Canalis system.
- 2x 200A 400/230 V 3-phase supply, Canalis system.
- These sockets are located approx 30 metres from the normal stage position.
- The tech level has 3x 200A 400/230 V 3-phase supply, Canalis system.

IT

- Telia Homerun (wireless broadband) is available inside the arena. The changing rooms & dressing rooms have fixed internet lines. Fixed internet lines can also be run into the arena on request.

CLEANING

- Cleaning is taken care of by contractors.

SAFETY

- All pyrotechnics must be approved by the police and fire service.
- All constructions must be approved by the arena's head of safety.

SECURITY / STAFFING

- External security is dealt with by a contracted security company.
- Internal security is handled by the arena's event and fire stewards.
- Other security can be arranged through the arena.

HEALTHCARE

- Nurses and doctors can be arranged via the arena.

CLOAKROOM

- The cloakroom service at public events is handled by the arena's contractors.
- A cloakroom service for private events can be arranged via the arena.

TICKET SALES

Tickets for public events are sold via

- The Globe Arena's telephone booking service 077-131 00 00
- www.globearenas.se.
- The Globe Arena's box office.
- ATG and Ticnet outlets.

Tickets can also be produced for private events.

MASS MEDIA SERVICE

- Areas for the mass media can be arranged at the Globe Arena on request.

PARKING

- 2,100 parking spaces nearby.
- Free parking for 2 hours in the Globen City car park.

PUBLIC ENTRANCES

- There are four public entrances, one separate entrance for disabled and one VIP entrance for public events.
- Other entrances may be used for private events.

CATERING

All serving of food, drink, confectionery etc is handled by contractors. There are plenty of restaurants and kiosks in the Globe's public areas.

- Global Grill.
- Taittinger Champagne bar.
- Sportbaren.
- Angelini Food shop & Bar.
- Heartbreak Bar & Bistro.
- Cockpit Longbar.
- 18 kiosks on levels 3, 4 and 7 of the Globe.

HOSPITALITY ROOMS

- Arena rooms: ten large rooms with their own entrance next to the arena, suitable for guests of honour, corporate hospitality, press and sponsors.
- Executive Lounge with 6 separate conference rooms for 6-20 pax.

HOTEL

- The Quality Hotel Globe, with 327 guest rooms and 17 conference rooms, is part of the Globen City complex.

SHOPPING

- Globen Shopping, with its 60 stores, is part of the Globen City complex.

HIRING THE GLOBE ARENA

- The Globe Arena can be booked via the events department +46 (0)8-508 353 00.

AB Stockholm Globe Arena • Box 100 55 • 121 27 Stockholm-Globen
Tel +46 (0)8-508,353 00 • Fax +46 (0)8-508 353 70
www.globearenas.se

Facts about Hovet

Opened in 1955, covered in 1962, refurbished and totally refitted in 2002, with an audience capacity of 8,300. A temple to ice hockey, but with huge scope for corporate events, concerts and receptions of all kinds.

CAPACITY

- Ice hockey 8,300 pax.
- Concert with stage at west/east, 8,000 pax standing.
- Concert with stage in centre, 9,000 pax standing.
- Banquet and party configuration 1,400 pax.
- Hovets Hylla 1,200 pax standing.
- Hovets Hylla banquet and party configuration 260 pax.

ARENA FLOOR

- The concrete floor is permanently marked with the outline of an ice hockey rink. The floor is layered with ice from August to April. Normal ice hockey rink 30 x 60 m.

FITTINGS

- The floor is covered with different flooring for different events.

CEILING HEIGHT IN HOVET

- To gantry 15.5 m.
- To flying cables 17 m.
- To match clock 11.8 m.
- Foyers have highly varied ceiling height from 2.15 m upwards.

LOADING

- Entrance from Globen Gate, Arenavägen 35.
- Space for one 18 m trailer or two trucks.
- Offloading via a 30 m walkway, 3 m wide, slightly sloping towards the arena.
- Access door into the arena from the walkway, height 2.90 m, width 3.40 m.
- Offloading to foyers via Globentorget loading bay no. 18, height 2.40 m, width 2.30 m.

SUSPENSION CAPACITY

- Rigging hung from upper flying cables. Distance between cables is 5.2 m. Max 1,000 kg point load, as instructed. Max 7 tonnes total load per flying cable. Snow on the roof may reduce the max permitted load.

PLANT

- One forklift truck 1.6 tonnes.
- Three forklift trucks 1.8 tonnes.
- One forklift truck 3.0 tonnes.
- One hydraulic platform (Niftylift) 9.5 m working height.
- Two scissor lifts, one 11.5 m working height and one 6 m working height.

Operators of the above machinery must have a training certificate issued by the Globe Arenas. Contact Hans Svensson/the Globe Arenas for more information.

PRODUCTION AREAS

- Six changing rooms with shower and toilet.
- One production office.
- One dressing room with shower and toilet.
- Plus three other rooms.

EVENT CONSTRUCTION

- All constructions, fittings and other material can be arranged/hired through the arena. Fittings list and prices available on request.

SOUND

- Sound system for sports events (JBL speakers, Crown amplifiers)
- Other equipment can be hired as required.

LIGHTING

- The ice hockey lighting can be controlled section by section. The event lighting comprises 200 PAR 64 lamps controlled from a central light controller (Compulite).
- Other equipment can be hired as required.



LSVD (LARGE SCREEN VIDEO DISPLAY)

- A 20 m² video screen hangs above the west side of Hovet during the ice hockey season.

TV PRODUCTION

- It is possible to use the Globe's fixed TV technology.
- There is space for OB trucks between Hovet and Söderstadion.
- Other equipment can be hired as required.

ELECTRICITY

- 1x 400A 400/230 V 3-phase supply.
- 2x 250A 400/230 V 3-phase supply.
- These sockets are located in the north-west corner of the arena.

IT

- Telia Homerun (wireless broadband) is available inside the arena. The changing rooms & dressing rooms have fixed internet lines. Fixed internet lines can also be run into the arena on request.

Cont. Hovet

CLEANING

- Cleaning is taken care of by contractors.

SAFETY

- All pyrotechnics must be approved by the police and fire service.
- All constructions must be approved by the arena's head of safety.

SECURITY / STAFFING

- External security is dealt with by a contracted security company.
- Internal security is handled by the arena's event and fire stewards.
- Other security can be arranged through the arena.

HEALTHCARE

- Nurses and doctors can be arranged via the arena.

CLOAKROOM

- The cloakroom service at public events is handled by the arena's contractors.
- A cloakroom service for private events can be arranged via the arena.

TICKET SALES

Tickets for public events are sold via.

- The Globe Arena's telephone booking service 077-131 00 00
- www.globearenas.se.
- The Globe Arena's box office.
- ATG and Ticnet outlets.

Tickets can also be produced for private events.

MASS MEDIA SERVICE

- Areas for the mass media can be arranged at Hovet on request.

PARKING

- 2,100 parking spaces nearby.
- Free parking for 2 hours in the Globen City car park.

PUBLIC ENTRANCES

- There are two public entrances, one separate entrance for disabled and two VIP entrances for public events.
- Other entrances may be used for private events.

CATERING

All serving of food, drink, confectionery etc is handled by contractors. There are six kiosks and two restaurant areas in Hovet's public areas.

HOSPITALITY ROOMS

Hovet has a number of hospitality rooms suitable for receiving guests of honour, sponsors, press or officials.

- Hovets Hylla has space for 260 seated dinner guests with a dedicated VIP entrance.
- Hovmästarna has space for 150 seated dinner guests with a dedicated VIP entrance.
- Plus three other smaller rooms.

HOTEL

- The Quality Hotel Globe, with 327 guest rooms and 17 conference rooms, is part of the Globen City complex.

SHOPPING

- Globen Shopping, with its 60 stores, is part of the Globen City complex.

HIRING HOVET

- Hovet can be booked via the Globe Arenas' events department +46 (0)8-508 353 00.

AB Stockholm Globe Arena • Box 100 55 • 121 27 Stockholm-Globen
Tel +46 (0)8-508,353 00 • Fax +46 (0)8-508 353 70
www.globearenas.se